

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S9	712	(bridge near3 interfac\$3).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/04 12:04
S3	31	bridge near3 interrupt near3 messag\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/04 12:04
S12	134	gmch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/04 12:06
S18	530	interrupt same configuration same bridge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/04 12:16
S21	7	US-6237058-\$.DID. OR US-6265885-\$.DID. OR US-6813665-\$.DID. OR US-6219741-\$.DID. OR US-6189065-\$.DID. OR US-5382950-\$.DID. OR US-5446910-\$.DID.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/04 12:24
S20	14	US-6237058-\$.DID. OR US-6265885-\$.DID. OR US-6813665-\$.DID. OR US-6219741-\$.DID. OR US-6189065-\$.DID. OR US-5382950-\$.DID. OR US-5446910-\$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/04 12:24
S22	149	chipset same interfac\$3 same interrupt\$4 same process\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/09 15:42
S29	16	bridge.ti. and ((chipset or ic or (integrated circuit)) same interrupt\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/09 16:43
S27	478	(chipset or ic or (integrated circuit)) same bridge same interrupt\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/09 16:43
S39	124	bridge same interrupt same message same (memory or RAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/10 09:51
S41	35	doorbell interrupt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/10 09:54
S50	25	interrupt same memory same buffer same polling same message	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/12 09:45
S1	17	intelligent interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/12 09:45

S52	25	interrupt same memory same buffer same polling same message	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/12 09:47
S55	206	(messag\$3 near3 interrupt\$3) same polling	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/12 09:49
S54	5701	(messag\$3 near3 interrupt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/12 09:49
S57	398	(bridge near3 interfac\$3) same interrupt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/12 10:21
S10	14	(bridge near3 interfac\$3).ab. same interrupt\$4.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/12 10:21
S60	4	(interrupt near3 bridge) same polling	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/12 10:23
S59	650	interrupt near3 bridge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/12 11:18
S63	50	interrupt.ti. and bridge.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/12 11:20
S67	23	(interrupt\$4 messag\$3) same interface same bridge	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/12 13:08
S66	1466	interrupt\$4 messag\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/12 13:08
S74	64	interrupt same manag\$3 same multiprocessor\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/12 13:33
S73	2	interrupt same manag\$3 same multiprocessor\$3 same bridg\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/12 13:33
S76	190	interrupt\$3 near3 redirection .	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/12 13:59

S79	2	polling near3 (interrupt (message or packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/12 14:05
S81	40	polling near3 interrupt near3 messag\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/12 14:12
S80	18	polling near3 interrupt near messag\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/12 14:12
S78	1633	polling near3 interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/12 14:12
S87	367	(multiprocessor or smp) same interrupt same (interfac\$3 or bridg\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/12 14:41
S86	1540	(multiprocessor or smp) same interrupt	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/12 14:41
S84	25	(multiprocessor or smp) same interrupt same balanc\$3 same load	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/12 14:41
S89	65	interrupt redirection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/12 14:52
S91	8	(interrupt redirection).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/12 15:53
S94	40	polling near3 interrupt near3 messag\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/12 16:25
S98	21	interrupt\$4 near3 bridge near3 buffer	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/12 16:28
S97	3	interrupt\$4 near3 bridge near buffer	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/12 16:28
S96	1561	interrupt\$4 near3 bridge	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/12 16:28
S68	65	(interrupt\$4 messag\$3) same bridge	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/12 16:28

S10 4	0	interrupt same bridge same (polling near3 memory)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/13 10:13
S10 3	0	multiprocessor same interrupt same bridge same polling	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/13 10:13
S10 2	0	multiprocessor same interrupt same bridge same (polling near3 memory)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/13 10:13
S10 6	75	multiprocessor same bridge same interrupt	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/13 10:17
S10 5	3	multiprocessor same interrupt same (polling near3 memory)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/13 10:17
S10 9	15	(intelligent near3 interrupt near3 processing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/13 10:41
S10 8	0	(intelligent near3 interrupt near3 processing) same efficient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/13 10:41
S11 2	607	INTERRUPT near3 (retransmission or transferring)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/13 11:45
S11 1	4042	INTERRUPT SAME (retransmission or transferring)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/13 11:45
S11 3	1	INTERRUPT near3 (retransmission or transferring) near (check\$3 or polling)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/13 11:52
S11 5	44	(interrupt processing) near3 polling	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/13 11:54
S11 4	1	(interrupt processing) same (memory near3 polling)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/13 11:54
S11 7	31	bridge near3 interrupt near3 messag\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/13 12:10
S11 9	1034	710/260\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/13 12:36

S12 1	837	bridge same interrupt same transfer\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/13 17:02
S12 5	994	(interrupt\$3 near3 priority) same (interface or bridge)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/13 17:03
S12 4	7750	(interrupt\$3 near3 priority)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/13 17:03
S12 7	81	(interrupt\$3 near3 priority) same (interface or bridge) same messag\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/13 17:04
S12 9	26	(interrupt\$3 near3 priority) same (interface or bridge) same (interrupt near3 messag\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/13 17:05
S13 2	76	interrupt same (memory near3 polling)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/13 17:37
S13 1	882	memory near3 polling	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/13 17:37
S14 0	4	interrupt same (memory near3 polling) same priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/13 18:20
S13 8	76	interrupt same (memory near3 polling)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/13 18:20
S13 7	0	interrupt same redirection same (memory near3 polling)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/13 18:20
S13 6	0	interrupt same redirection same (memory adj3 polling)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/13 18:20
S14 2	457	register same (rom or (read only memory)) same advantage	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/16 13:14
S14 3	2	register near3 (rom or (read only memory)) near3 advantage	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/16 13:15
S14 4	4965	register near3 (rom or (read only memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/16 13:16

S14 5	2	address near3 offset near3 register near3 (rom or (read only memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/16 13:17
S14 6	5	(address near3 offset) near5 (register near3 (rom or (read only memory)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/16 13:18
S14 7	4	(address near3 offset near3 register) near5 ((rom or (read only memory)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/16 13:20
S15 2	1	((configur\$5 address) near3 register) near5 (rom or (read only memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/16 13:27
S14 8	1	(configur\$5 address) near3 register near3 (rom or (read only memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/16 13:27
S15 4	48	base near3 offset near3 address same (rom or (read only memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/16 13:28
S15 3	3	((configur\$5 address) near3 register) same (rom or (read only memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/16 13:28
S15 7	28	(base same offset) near5 (rom or (read only memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/16 13:57
S15 6	398	(base same offset) same (rom or (read only memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/16 13:57
S16 2	186	(eprom or eeprom or rom or read only memory) same reload\$3 same (required or necessary)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/16 14:05
S16 1	114	(eprom or eeprom or rom or read only memory) same reload\$3 same necessary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/16 14:05
S16 4	34	(configur\$5 address) same (stor\$3 near5 (eprom or eeprom or rom or (flash rom or (read only memory))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/16 14:09
S15 9	24	(configur\$5 address) same (stor\$3 near5 (rom or (read only memory)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/16 14:09
S16 9	831	(rom or eprom or eeprom or (read only memory)) same (address near3 configur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/16 14:14

S17 1	29	(rom or eeprom or eeprom or (read only memory)) near5 (address near3 configur\$5) near5 stored	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/16 14:15
S17 0	331	(rom or eeprom or eeprom or (read only memory)) near5 (address near3 configur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/16 14:15
S17 3	3	((sav\$3 or stor\$3) near5 (configur\$5 near3 address)) same (register near3 (rom or (read only memory)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/16 14:28
S17 5	8	((sav\$3 or stor\$3) near5 (offset near3 base near3 address)) same ((rom or (read only memory)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/16 14:29
S17 4	0	((sav\$3 or stor\$3) near5 (offset near3 base near3 address)) same (register near3 (rom or (read only memory)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/16 14:29
S17 7	1172	configuration near3 address near3 register	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/16 14:32
S17 8	6	configuration near3 address near3 register near3 eeprom	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/16 14:33
S17 9	1	(service processor) same polling same interrupt same message	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/18 11:44
S2	16	S1 and @ad<"20040330"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/18 11:44
S18 5	20	(service processor) same interrupt same memory same message	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/18 11:51
S18 4	300	(service processor) same interrupt same memory	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/18 11:51
S18 2	577	(service processor) same interrupt	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/18 11:51
S18 0	10	(service processor) same polling same interrupt	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/18 11:53
S18 9	25	(service processor) same polling same (memory or register)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/18 11:56

S19 3	69	watchdog same (interrupt near3 detect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/18 12:21
S19 1	40	multiprocessor same (interrupt near3 detect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/18 12:21
S19 6	112	microprocessor same poll\$3 same event same interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/18 12:24
S19 5	486	microprocessor same monitor\$3 same event same interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/18 12:24
S20 0	60	(poll\$3 adj3 event\$1) near5 (cpu or processor or controller or microprocessor or microcontroller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/18 12:26
S19 9	992	poll\$3 adj3 event\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/18 12:26
S19 8	4	microprocessor same poll\$3 same event same (interrupt adj3 processing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/18 12:26
S20 2	2355	event processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/18 12:43
S20 8	11	(event (controller or microprocessor or processor)) same advantage same (poll\$3 or monitor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/18 12:44
S20 6	115	(event (controller or microprocessor or processor)) same advantage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/18 12:44
S21 1	3597	interrupt processor	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/18 12:47
S21 2	6	(interrupt processor) near5 advantage	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/18 12:50
S20 9	20	(event (controller or microprocessor or processor)) same advantage same (poll\$3 or monitor\$3 or detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/18 12:57

S21 4	1634	(event (controller or microprocessor or processor)) same (poll\$3 or monitor\$3 or detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/18 13:04
S21 6	123	(event (controller or microprocessor or processor)) same (poll\$3 or monitor\$3 or detect\$3) same (benefit or advantage\$1 or better or sav\$3 or reduc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/18 13:05
S22 2	50	memory near3 polling near3 processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/18 13:08
S22 1	25	memory near3 polling near processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/18 13:08
S23 1	1734	poll\$3 near3 (memory or ram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/18 13:18
S22 9	108	poll\$3 engine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/18 13:18
S23 3	19	(poll\$3 near3 (memory or ram)) same event same (monitor\$3 or detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/18 13:19
S23 2	1	(poll\$3 near3 (memory or ram)) same event same (monitor\$3 or detect\$3) same (sav\$3 or reduc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/18 13:19
S23 7	2	memory near3 polling near3 event near3 (monitor\$3 or detect\$3 or check\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/18 13:35
S24 0	105	dedicated near3 polling	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/18 13:36
S23 8	48	memory near3 polling near3 (monitor\$3 or detect\$3 or check\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/18 13:36
S20 5	67	(event processor) same advantage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/18 13:41
S24 5	11	"event processor" same advantage same (poll\$3 or monitor\$3 or check\$3 or detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/18 13:43

S18 7	6	(service processor) same polling same event	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/18 13:46
S24 9	822	poll\$3 adj2 processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/18 13:48
S22 4	328	poll\$3 processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/18 13:48
S25 0	59	S249 same (advantage or reduc\$3 or sav\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/18 13:49
S21 3	2	(polling near3 processor) near5 advantage	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/18 14:10
S25 3	127	(polling near3 unit) same (advantage or reduc\$3 or sav\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/18 14:11
S25 2	4	(polling near3 unit) near5 advantage	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/18 14:11
S24 7	8	(service processor) same polling same (advantage or reduc\$3 or sav\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/01/18 14:11
S25 5	1464	(run\$4 near3 (full speed))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/18 14:20
S25 6	208	(run\$4 near3 (full speed)) same processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/18 14:21
S25 8	2	dedicated near5 interrupt near3 polling	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/18 14:27